

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	11/364323	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 15:02
S2	2	"11364323"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 15:02
S5	14	("5333175" "5621723" "5892774" "6058107" "6208873" "6483817" "6519233").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 15:53
S6	1	09/198320.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 16:49
S7	1	09/329856	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 17:01
S8	1	("5923650").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:42
S9	1	("5896411").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/04 17:47
S10	550	((power control) near2 bit) with (uplink or (reverse near2 (link or channel or path)))) and (cdma or code division multiple)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 18:09
S11	57	S10 and (@lad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 18:10
S12	23	((power control) near2 bit) with (uplink or (reverse near2 (link or channel or path)))) with ((broadcast or common) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 18:30

S14	52	(((power control) near2 bit) same (uplink or (reverse near2 (link or channel or path)))) same ((broadcast or common) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 18:31
S16	60	(((power control or tpc or transmission power control) near2 bit) same (uplink or (reverse near2 (link or channel or path)))) same ((broadcast or common) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 18:32
S18	440	cdma with common channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:10
S19	155	cdma with common channel with transmission	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:11
S21	56	(((power control or power) near2 bit) same (uplink or (reverse near2 (link or channel or path)))) same ((broadcast or common or share) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:22
S22	60	(((power control or power) near2 bit) same (uplink or (reverse near2 (link or channel or path)))) same ((broadcast or common or share) near2 (channel or link or path))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:23
S24	117	(((power control or power) near2 (bit or code)) same (uplink or (reverse near2 (link or channel or path)))) same ((broadcast or common or share) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:24
S25	1	S24 and (@lad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:24

S26	206	((power control or power) near2 (bit or signal)) same (uplink or (reverse near2 (link or channel or path)))) same ((broadcast or common or share) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:25
S27	14	S26 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:25
S28	1	((inhibit or suppress or disabl\$3) near2 (bit or signal)) same (uplink or (reverse near2 (link or channel or path)))) same ((broadcast or common or share) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 19:48
S30	2	"5485486".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 20:12
S31	510	(pseudo near3 random\$3) with bit with (position or location)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 09:13
S32	8	(pseudo near3 random\$3) with bit with (position or location) with offset	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 09:14
S34	72	(pseudo near3 random\$3) with offset with (position or location)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 09:26
S35	11	S34 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 09:26
S37	5	((power control or power) near2 (bit or signal or stream)) same (pseudo \$random\$3 near3 offset)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 09:55

S38	1	S37 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 09:55
S39	19	((power control or power) near2 (bit or signal or stream)) same (random\$3 near3 offset)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 09:56
S40	2	S39 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 09:56
S41	96	((power control or power) near2 (bit or signal or stream)) same (fixed near3 offset)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:00
S42	15	S41 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:00
S43	22	((power control) near2 (bit or signal or stream)) same (fixed near3 offset)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:01
S45	42	((power control) near2 (bit or signal or stream)) same ((fixed or constant) near3 offset)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:06
S46	2	S45 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:06
S48	3	((power control) near2 (bit or signal or stream)) same ((random) with offset)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:14
S49	1	S48 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:15

S50	11	((schedul\$3 or allocat\$3) near3 (bit or stream or signal)) with (uplink or (reverse near2 (link or channel or path)))) with ((broadcast or common or share) near2 (channel or link or path))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:24
S52	13	((schedul\$3 or allocat\$3 or inhibit\$3 or prohibit\$3 or prevent\$3) near3 (bit or stream or signal)) with (uplink or (reverse near2 (link or channel or path)))) with ((broadcast or common or share) near2 (channel or link or path))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:25
S54	342	((schedul\$3 or allocat\$3 or inhibit\$3 or prohibit\$3 or prevent\$3) near3 (bit or stream or signal)) with ((broadcast or common or share) near2 (channel or link or path))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:27
S55	119	S54 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:28
S56	174	((schedul\$3 or inhibit\$3 or prohibit\$3 or prevent\$3) near3 (bit or stream or signal)) with ((broadcast or common or share) near2 (channel or link or path))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:28
S57	72	S56 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:28
S58	2	S56 and (@rlad<"19980612" or @ad<"19980612") and CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:32
S59	498	((schedul\$3 or inhibit\$3 or prohibit\$3 or prevent\$3) with (bit or stream or signal)) with ((broadcast or common or share) near2 (channel or link or path))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:34

S60	185	S59 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:34
S62	4	S59 and (@rlad<"19980612" or @ad<"19980612") and CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:34
S63	1047	((schedul\$3 or inhibit\$3 or prohibit\$3 or prevent\$3 or allocat\$4) with (bit or stream or signal)) with CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:38
S64	385	(transmi\$6 or resource) with (schedul\$3 or allocat\$4) with (bit or stream or signal) with CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:39
S65	70	S64 and (@rlad<"19980612" or @ad<"19980612") and CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:39
S70	6	(schedul\$3) with (bit or signal or stream) with ((common or shared) near2 (channel or path or link)) with CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:44
S72	17	(schedul\$3) with (bit or signal or stream) same ((common or shared) near2 (channel or path or link)) same CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:45
S74	41	(schedul\$3) same (bit or signal or stream) same ((common or shared) near2 (channel or path or link)) same CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:45
S77	17	(transmi\$6 near2 prevent\$3) with (bit or signal or stream) with ((common or shared) near2 (channel or path or link))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:47
S79	4	(transmi\$6 near2 (preven\$4 or stop\$4 or inhibit\$3)) with (bit or signal or stream) with ((common or shared) near2 (channel or path or link)) with CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:49

S81	291	(transmi\$6) with (bit or signal or stream) with ((common or shared) near2 (channel or path or link)) with (schedul\$3 or allocat \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:51
S82	6	S81 and (@rlad<"19980612" or @ad<"19980612") and CDMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 10:51
S83	1103	transmission with indicator with bit	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 12:42
S84	52	(transmission with indicator with bit) with cdma	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 12:42
S85	18	S84 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 12:43
S86	154	interfere\$4 with (avoid\$5 or preven\$5) with (signal or bit) with cdma	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 12:44
S87	18	S85 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 12:44
S88	1100	channel with allocat\$3 with indicat\$3 with (bit or signal or stream)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 12:47
S90	268	(channel with allocat\$3 with indicat\$3 with (bit or signal or stream)) and cdma	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 12:47
S92	30	S90 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 12:47

S93	1	11/650,185	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 13:32
S94	3	08/985281	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:02
S95	838	(370/311).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/03/05 19:38
S98	12	S95 and (((power control) near2 bit) with (uplink or (reverse near2 (link or channel or path)))) and (cdma or code division multiple))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 19:39
S99	307	(power near2 control) with (common or shared or broadcast) with ((reverse or uplink) near2 (channel or link))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/26 18:40
S100	136	(power near2 control) with ((common or shared or broadcast) near3 ((reverse or uplink) near2 (channel or link)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/26 18:40
S101	15	S100 and (@riad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/26 18:40
S102	1	(siganls or bits) with (inidcat \$3 or inform\$3 or notif\$4) with (uplink or reverse) with (schedul\$3 or reserv\$5 or transmi\$5) with ((shared or common) near3 (channel))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/27 15:36
S103	135	(siganls or bits) with (uplink or reverse) with (schedul\$3 or reserv\$5 or transmi\$5) with ((shared or common) near3 (channel))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/27 15:37
S104	139	(siganl or bit or mask) with (uplink or reverse) with (schedul\$3 or reserv\$5 or transmi\$5) with ((shared or common) near3 (channel))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/27 15:37

S105	3	S104 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/27 15:37
S106	43	(siganl or bit or mask or flag) with (uplink or reverse) with (schedul\$3 or reserv\$5 or assigned) with ((shared or common) near3 (channel))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/27 17:59
S107	1	S106 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/27 17:59
S108	187	(siganl or bit or mask or flag) same (uplink or reverse) with (schedul\$3 or reserv\$5 or assigned) same ((shared or common) near3 (channel))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/27 18:00
S109	16	S108 and (@rlad<"19980612" or @ad<"19980612")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/27 18:00

EAST Search History (I nterference)

< This search history is empty >

7/ 27/ 2010 2:08:44 PM

**C:\ Documents and Settings\ mbatista\ My Documents\ EAST\ Workspaces\ 09412122 COMMON
POWER CONTROL CHANNEL I N A CDMA SYSTEM AND A SYSTEM AND METHOD FOR USI NG SUCH
A CHANNEL.wsp**